

LIST OF PICTURES

Picture 1. Axial ivory flakes. 1 — Khotylevo II Upper Palaeolithic site; 2 — Yeliseyevichi 1 Upper Palaeolithic site

Picture 2. Transverse ivory flake. Yana Upper Palaeolithic site (river floor material)

Picture 3. Transverse ivory flake. Yana Upper Palaeolithic site (river floor material)

Picture 4. «Clamorous bracelet» from bent mammoth ivory plates. Upper Palaeolithic site Mezin

Picture 5. Antler billet flint knapping

Picture 6. Mammoth ivory natural shape

Picture 7. Mammoth ivory internal structure. 1 — ivory transverse polished cut; 2 — ivory transverse break

Picture 8. Reindeer natural antler shape

Picture 9. Internal antler structure. Reindeer (top); elk (bottom)

Picture 10. Mikhail Mikhailovich Gerasimov

Picture 11. Sergey Aristarkhovich Semenov

Picture 12. Ivory axial spalls removal technique. Reconstruction by M.M. Gerasimov

Picture 13. Ivory transverse spalls receiving technique. Reconstruction by S.A. Semenov

Picture 14. Anatoly Kuzmich Filippov

Picture 15. Mammoth ivory. Layering

Picture 16. Mammoth ivory. Spalling

Picture 17. Mammoth ivory. Breaking

Picture 18. 1 — transverse spall. Berelekh Upper Palaeolithic site. 2 — ivory transverse facet removal flake. Yeliseyevichi 1 Upper Palaeolithic site

Picture 19. Transverse spall. Zhokhov Mesolithic site

Picture 20. Transverse flake with several strikes of removal traces. Yeliseyevichi 1 Upper Palaeolithic site

Picture 21. Axial flake. Khotylevo II Upper Palaeolithic site

Picture 22. End face with a facet removal of an axial flake. Yeliseyevichi 1 Upper Palaeolithic site

Picture 23. Flakes from the end face of a mammoth tusk across the growth structure. Year of 2007 experiment

Picture 24. Mammoth tusk with traces of axial break with axial grooves use. Upper Palaeolithic site Yeliseyevichi 1

Picture 25. Mammoth tusk with traces of axial break without grooves use. Upper Palaeolithic site Malta

Picture 26. Mammoth tusk in a damp condition with traces of axial break. Year of 2004 experiment. (Zhokhov island)

Picture 27. 1 — a negative surface from an axial break of a tusk in a damp condition; 2 — ripple traces on a negative from an axial break of a tusk in a damp state. Ripple traces show direction of removal of a preform

Picture 28. Axial ivory tusk break along preliminary cut grooves. Year of 2003 experiment. (Zhokhov island)

Picture 29. Plane of knapping received as a result of an axial break going along the heart of the tusk

Picture 30. Shapes of transverse breaks on end faces of a tusk. 1, 2 — conical; 3 — truncated; 4 — straight, slightly hinged

Picture 31. Transverse hinged break on the end face of a tusk

Picture 32. Transverse break on an experimental antler handle. Year of 2002 experiment. (Zhokhov island)

Picture 33. Ivory nucleus with traces of a flake removal and transverse break in a frozen state

Picture 34. «Dry» ivory knapping in a frozen state

Picture 35. «Dry» frozen ivory knapping spalls

Picture 36. Striking platform of «naturally damp» ivory after several dozens of strikes

Picture 37. Ivory spalls of 2004 experiments under -18°C

Picture 38. Year of 2006 experiment in a park near Mourinsky Spring, St-Petersburg, under -25°C

Picture 39. Stone hammer and a few flakes experimentally received in 2006 in a park near Mourinsky Spring, St-Petersburg

Picture 40. Stone hammer use for ivory knapping. Year of 2006 experiments in a park near Mourinsky Spring, St-Petersburg

Picture 41. A good try of removal of an ivory transverse flake. Year of 2006 experiments in a park near Mourinsky Spring, St-Petersburg, under -25°C

Picture 42. A large transverse ivory flake experimentally received in 2006 in a park near Mourinsky Spring, St-Petersburg

Picture 43. Ivory nucleus with a negative of a transverse flake removal experimentally received in 2006 in a park near Mourinsky Spring, St-Petersburg

Picture 44. Vladimir Chouroun is getting ready a freezer-box «Ruainstruments CT322LV2755» in a Russian-German laboratory of polar and marine research named after Otto Schmidt of the Institute of Arctic and Antarctic Regions Studies

Picture 45. Stone hammer frozen ivory knapping in the experiment of 2007

Picture 46. Antler intermediate tool and a wooden hammer frozen ivory knapping in the experiment of 2007

Picture 47. Antler intermediate tool and a heavy wooden hammer frozen ivory knapping in the experiment of 2007

Picture 48. A transverse flake experimentally removed from an ivory tusk frozen to about -40°C in 2007

Picture 49. A transverse flake experimentally removed from an ivory tusk frozen to about -40°C in 2007

Picture 50. An axial flake whose removal required a few strikes by a hard hammer. Year of 2007 experiment of ivory knapping. The tusk is frozen to -40°C

Picture 51. Ivory spalls experimentally removed from a tusk frozen to -60°C and lower in 2007

Picture 52. Axial flakes experimentally removed from frozen ivory in 2007

Picture 53. Pick-like antler and ivory objects whose surface is treated by small transverse spalls

Picture 54. Transverse antler spall. Zhokhov Mesolithic site

Picture 55. An ivory «Kolobakha» (pick-like object). Zhokhov Mesolithic site

Picture 56. An ivory «Kolobakha» (pick-like object). Zhokhov Mesolithic site.

Picture 57. An ivory pick-like object. 1 — butt; 2 — an area adjacent to the butt produced by rough direct dents by an adze. Zhokhov Mesolithic site

Picture 58. An ivory pick-like object. Two grooves for binding. Zhokhov Mesolithic site

Picture 59. An ivory «Kolobakha» with grooves produced by adzing under positive temperature. Zhokhov Mesolithic site

Picture 60. An ivory «Kolobakha». Wear traces on the sharp-edges margin

Picture 61. Experimental ground digging by a pick-like object immediately next to Zhokhov site

Picture 62. 1 — archaeological analogues to the traces received on experimental tools; 2 — traces on an ivory experimental tool (hoe)

Picture 63. Traces of polishing on the ends of pick-like objects. Zhokhov Mesolithic site

Picture 64. Thin linear traces on the ends of pick-like objects. Zhokhov Mesolithic site

Picture 65. Sample loess digging traces on an experimental tool

Picture 66. Sample thick snow digging traces on an experimental tool

Picture 67. Thick snow digging traces on a spade edge. Zhokhov Mesolithic site

Picture 68. «Kolobakha» with a broken butt. Zhokhov Mesolithic site

Picture 69. Ivory «Kolobakha» butts with the dropped out cones and traces of blows

Picture 70. «Kolobakha» with a broken upper end. Zhokhov Mesolithic site

Picture 71. «Kolobakha» broken in two. Zhokhov Mesolithic site

Picture 72. «Kolobakha» with a broken upper and lower end. Zhokhov Mesolithic site

Picture 73. A spall from a lower end of «Kolobakha». Zhokhov Mesolithic site

Picture 74. «Kolobakha» with a large spall on the thin lower end. Zhokhov Mesolithic site

Picture 75. A large spall from the thin lower end of «Kolobakha». Zhokhov Mesolithic site

Picture 76. «Kolobakhas» thin lower ends fragments. Zhokhov Mesolithic site

Picture 77. «Kolobakha» with a non-removed spall on the thin lower end. Zhokhov Mesolithic site

Picture 78. «Kolobakha» ventral spall fragment. Zhokhov Mesolithic site

Picture 79. «Kolobakha» transverse spall. Zhokhov Mesolithic site

Picture 80. Reindeer antler «Kolobakha» with a broken thin lower end and adze traces. Zhokhov Mesolithic site

Picture 81. Reindeer antler «T-shaped» handle. Zhokhov Mesolithic site

Picture 82. Reindeer antler storage in Zhokhov expedition camp

Picture 83. Experimentally produced reindeer antler «T-shaped» handle soaking

Picture 84. Straightening of produced «T-shaped» reindeer antler handle

Picture 85. Straightened experimentally produced «T-shaped» reindeer antler handle

Picture 86. Two experimentally straightened further resuming their original shapes reindeer antler preforms. Year of 2003 experiment (the Yana river)

Picture 87. Straightened experimentally produced «T-shaped» reindeer antler handle

Picture 88. Entire reindeer antler thermokarst pool soaking (25.07.2004, Zhokhov island)

Picture 89. Straightening of an entire reindeer antler

Picture 90. Straightening of an entire reindeer antler (weight about 2 tons)

Picture 91. Straightened (flattened) reindeer antler

Picture 92. Two halves of axially sawn straightened reindeer antler

Picture 93. Ivory shaft unbending device. Reconstruction by A.K. Filippov (courtesy of the author)

Picture 94. Large straightened ivory shaft spears. Sungir' Upper Palaeolithic site

Picture 95. Experimental Sungir' copies production mammoth ivory

Picture 96. Ivory tusk with two cut grooves in a thermokarst pool (07.11.2002, Zhokhov island)

Picture 97. Ivory tusk grooves cutting

Picture 98. First shaft removed from a mammoth tusk covered with cracks due to removal

Picture 99. Shaft removal with the help of antler wedges

Picture 100. Mammoth tusk and a large shaft separated from it

Picture 101. Bottom of a groove resulting from the first large ivory shaft removal

Picture 102. Mammoth tusk and a large shaft separated from it

Picture 103. Mammoth tusk and a series of large shafts successively removed from it

Picture 104. Thermokarst pool shafts soaking 08.08.2002, Zhokhov island)

Picture 105. Quality state of a «fresh» mammoth tusk covered with cracks after its soaking in water for 7 days

Picture 106. A large shaft repeating a natural bend of a mammoth tusk

Picture 107. Large ivory shafts straightening (August, 2003, Zhokhov island)

Picture 108. A spear produced from a large straightened ivory shaft, given to the museum of regional studies of the city of Zarsk

Picture 109. A spear produced from a large straightened ivory shaft, given to the archaeology museum of Kostionki

Picture 110. A mammoth digging snow. Drawing made by artist E.Ya. Zakharov under V.E. Garutt

Picture 111. Mammoth tusk distal end with traces of natural wear

Picture 112. Polar fox gnawing traces on a distal end of a mammoth tusk

Picture 113. Natural wear traces on the surface of a distal mammoth tusk end. Incident light, going through objective lens, differential-interference contrast (herefrom, DIC), X100

Picture 114. Woolly rhinoceros horn with natural wear traces

Picture 115. Transverse «tang» ivory break

Picture 116. Ice complex Soplivaya Gora collapse (2003, the Yana river midstream)

- Picture 117. A silt pinnacle. Permafrost layers cryogenic deformation
- Picture 118. Tang-hinged transverse breaks on a tusk
- Picture 119. Concentric and radial cracks due to ivory drying out
- Picture 120. «Dry» ivory with deep axial radial and concentric cracks due to drying out
- Picture 121. Axially splitted mammoth tusk. Result of drying out.
- Picture 122. Axially splitted mammoth tusk surface with a typical ripple
- Picture 123. Axially splitted mammoth tusk surface with multidirectional ripples
- Picture 124. Axial natural ivory break surface
- Picture 125. Axial natural ivory break surface
- Picture 126. Mammoth tusk planing by two-handle drawing knife.
- Picture 127. Two-handle drawing knife with a flint insert and its resulting shaving
- Picture 128. A flint insert of the two-handle drawing knife. Polishing and end damage fracture of the working edge
- Picture 129. Ivory shavings resulting in an hour's work by a two-handle drawing knife
- Picture 130. Two-handle drawing knife's use traces on ivory
- Picture 131. Two-handle drawing knife's use traces on an artifact surface. Zhokhov Mesolithic site
- Picture 132. «Fresh» ivory planing traces. 8 hours, 15 minutes' pure time work. Incident light, going through objective lens, DIC, X50, Helicon Focus programme treatment
- Picture 133. 1 — «fresh» ivory planing traces. 8 hours, 15 minutes' pure time work. Incident light, going through objective lens, DIC, X100, Helicon Focus programme treatment; 2 — «fresh» ivory planing traces. Incident light, going through objective lens, DIC, X100, Helicon Focus programme treatment
- Picture 134. «Fresh» ivory planing traces. 8 hours, 15 minutes' pure time work. Incident light, going through objective lens, DIC, X200, Helicon Focus programme treatment
- Picture 135. «Fresh» ivory planing traces. 8 hours, 15 minutes' pure time work. Incident light, going through objective lens, DIC, X500, Helicon Focus programme treatment
- Picture 136. «Fresh» antler planing traces. 2 hours' pure time work. Incident light, going through objective lens, DIC, X50, Helicon Focus programme treatment
- Picture 137. «Fresh» antler planing traces. 2 hours' pure time work. Incident light, going through objective lens, DIC, X100, Helicon Focus programme treatment
- Picture 138. «Fresh» antler planing traces. 2 hours' pure time work. Incident light, going through objective lens, DIC, X200, Helicon Focus programme treatment
- Picture 139. «Fresh» antler planing traces. 2 hours' pure time work. Long linear polishing. Incident light, going through objective lens, DIC, X50, Helicon Focus programme treatment
- Picture 140. «Fresh» antler planing traces. 2 hours' pure time work. Long linear polishing. Incident light, going through objective lens, DIC, X200, Helicon Focus programme treatment
- Picture 141. Planing of ivory by a flint burin.
- Picture 142. Planing traces on the edge of an Upper Palaeolithic flint burin
- Picture 143. Planing traces on the edge of an Upper Palaeolithic flint burin. Incident light, going through objective lens, DIC, X500, Helicon Focus programme treatment
- Picture 144. Planing traces on the edge of an experimental flint burin. 2 hours' pure time work. Incident light, going through objective lens, DIC, X100, Helicon Focus programme treatment
- Picture 145. Planing traces on the edge of an experimental flint burin. 2 hours' pure time work. Incident light, going through objective lens, DIC, X200, Helicon Focus programme treatment
- Picture 146. Flint scraper ivory scraping
- Picture 147. Flint scraper ivory scraping
- Picture 148. Experimental edge flint scraper wear traces. 10 hours' pure time work. Incident light, going through objective lens, DIC, X100, Helicon Focus programme treatment

Picture 149. Experimental edge flint scraper wear traces. 10 hours' pure time work. Incident light, going through objective lens, DIC, X200, Helicon Focus programme treatment

Picture 150. Experimental edge flint scraper wear traces. 10 hours' pure time work. Incident light, going through objective lens, DIC, X500, Helicon Focus programme treatment

Picture 151. «Fresh» ivory stone burin work

Picture 152. «Fresh» ivory stone burin work

Picture 153. «Fresh» ivory stone burin work

Picture 154. Mammoth tusk surface trimming traces.

Picture 155. Artifact surface trimming traces. Zhokhov Mesolithic site

Picture 156. Flint polished burin wear traces on «fresh» ivory. 10 hours' pure time work. Incident light, going through objective lens, DIC, X50, Helicon Focus programme treatment

Picture 157. Flint polished burin wear traces on «fresh» ivory. 10 hours' pure time work. Incident light, going through objective lens, DIC, X100, Helicon Focus programme treatment

Picture 158. Flint polished burin wear traces on «fresh» ivory. 10 hours' pure time work. Incident light, going through objective lens, DIC, X200, Helicon Focus programme treatment

Picture 159. Groove cutting in a «fresh» reindeer antler

Picture 160. Groove cutting in «fresh» ivory

Picture 161. Traces on an edge of a flint blade from groove cutting in «fresh» ivory. 1 hour's pure time work. Incident light, going through objective lens, DIC, X100, Helicon Focus programme treatment

Picture 162. Traces on an edge of a flint blade from groove cutting in «fresh» ivory. 1 hour's pure time work. Incident light, going through objective lens, DIC, X200, Helicon Focus programme treatment

Picture 163. Traces on an edge of a flint blade from groove cutting in «fresh» ivory. 3 hours' pure time work.

Incident light, going through objective lens, DIC, X100, Helicon Focus programme treatment

Picture 164. Traces on an edge of a flint blade from groove cutting in «fresh» ivory. 3 hours' pure time work. Incident light, going through objective lens, DIC, X200, Helicon Focus programme treatment

Picture 165. Flint blade dorsal ridge traces from groove cutting in «fresh» ivory. 1.5 hour's pure time work. Incident light, going through objective lens, DIC, X100, Helicon Focus programme treatment

Picture 166. Flint blade dorsal ridge traces from groove cutting in «fresh» ivory. 1.5 hour's pure time work. Incident light, going through objective lens, DIC, X200, Helicon Focus programme treatment

Picture 167. Flint blade dorsal ridge traces from groove cutting in «fresh» ivory. 1.5 hour's pure time work. Incident light, going through objective lens, DIC, X500, Helicon Focus programme treatment

Picture 168. Traces on a working part of a tool meant for reindeer antler, ivory and bone groove-cutting. Zhokhov Mesolithic site. Incident light, going through objective lens, DIC, X200, Helicon Focus programme treatment

Picture 169. Traces on a working part of a tool meant for reindeer antler, ivory and bone groove-cutting. Zhokhov Mesolithic site. Incident light, going through objective lens, DIC, X500, Helicon Focus programme treatment

Picture 170. Flint blade sawing traces on reindeer antler. 1 hour's pure time work. Incident light, going through objective lens, DIC, X50, Helicon Focus programme treatment

Picture 171. Flint blade sawing traces on reindeer antler. 1 hour's pure time work. Incident light, going through objective lens, DIC, X100, Helicon Focus programme treatment

Picture 172. Flint blade sawing traces on reindeer antler. 1 hour's pure time work. Incident light, going through objective lens, DIC, X200, Helicon Focus programme treatment